

**Consulate General of India
Jeddah**

**Notice for Empanelment of Oxygen Cylinder Refilling Service Providers for Haj
2026 Medical Operations**

The Indian Haj Pilgrims' Office requires oxygen cylinder refilling service for one observation center and twelve clinics in Makkah Mukarramah during Haj 2026. These services will include refilling of cylinders of different volumes. Additionally, the contacted service providers will be responsible for pick-up and drop-off at the various Indian Medical Centers located across the Makkah.

To ensure competitive pricing and quality of service, quotations are being invited from multiple reputed and authorized oxygen cylinder refilling agencies based in Makkah Mukarramah. Interested companies, willing to undertake the required tasks during Haj 2026, should submit their quotations in a sealed envelope to Vice Consul (Haj) at the address mentioned below. These companies will be empaneled, and on each day of requirement, all empaneled providers will be contacted. The company offering the lowest price for that particular day will be assigned the task. On subsequent days, if the service is required, the empanelled companies will be contacted and the company offering the lowest rate for the day will be selected, ensuring the most cost-effective solution each time.

Interested companies based in Makkah Mukarramah willing to do the above work as and when required situation during Haj-2026 at Makkah Mukarramah may submit below mentioned documents in a sealed envelope to Vice Consul (Haj), Consulate General of India, Villa No. 34, behind Saudi National Bank, Tahaliya Street, Jeddah – 20421 by **Date: 12.04.2026 before 17:00 hours**. For any queries, please contact +966550710600.

1. Required documents for empanelment:
 - (a) Valid Company Registration Certificate from Ministry of Commerce
 - (b) Valid Commercial Activity Licence from Holy Makkah Municipality
 - (c) VAT Registration certificate from General Authority of Zakat & Tax

2. Undertaking to provide quotations on demand, printed on the company's official letterhead.

3. Quotations for reference should be provided in the following format at the time of empanelment.

Place	Location	Quoted price/cylinder (SR) (Exclusive VAT)	Quantity
Makkah	<i>Makkah Al Mukarramah</i>	<i>a. Refilling of cylinder of volume 40 litres:.....SR</i> <i>b. Refilling of cylinder of volume 10 litres:.....SR</i> <i>c. Refilling of cylinder of volume 3-5 litres:.....SR</i> <i>d. Valve checking & its replacement :...SR</i>	<i>As and when requested by the Hospital (will depend upon the patients' occupancy)</i>
